

OSHA Citation Tracking
Serious Violations FY 2003

Installation	UIC	Inspection Date	Inspection Type	Violation Type	Standard Cited	Description	NAVOSH Reference	Abatement Date	Maximum Private Sector Penalty
NCTAMS LANT DET Cutler, ME	63038	10/17/2002	Complaint	Serious	1910.146(c)(4)	Confined spaces - If the employer decides that its employees will enter permit spaces, the employer shall develop and implement a written permit space entry program that complies with this section. The written program shall be available for inspection by employees and their authorized representatives.	OPNAVINST 5100.23F Chapter 11 Basic Requirements; Chapter 27 Confined Space Entry Program	12/6/2002	\$7,000
Naval AviationNaval Aviation Depot, Cherry Point, NC	00146	2/27/2003	Complaint	Serious	1910.1200(h)(3)	HAZCOM training shall include the measures employees can take to protect themselves from these hazards, including specific procedures the employer has implemented to protect employees from exposure to hazardous chemicals, such as appropriate work practices, emergency procedures, and personal protective equipment to be used.	OPNAVINST 5100.23F Chapter 11 Basic Requirements; Chapter 7 Hazardous Material Control and Management	6/11/2003	\$7,000

OSHA Citation Tracking
Serious Violations FY 2003

Installation	UIC	Inspection Date	Inspection Type	Violation Type	Standard Cited	Description	NAVOSH Reference	Abatement Date	Maximum Private Sector Penalty
Naval Aviation Depot, Cherry Point, NC	00146	2/27/2003	Complaint	Serious	1910.1200(e)(2)	HAZCOM multi-employer workplaces. Employers who produce, use, or store hazardous chemicals at a workplace in such a way that the employees of other employer(s) may be exposed (for example, employees of a construction contractor working onsite) shall additionally ensure that the hazard communication programs developed and implemented under this paragraph (e) include the following: The methods the employer will use to provide the other employer(s) on-site access to material safety data sheets for each hazardous chemical the other employer(s)' employees may be exposed to while working; The methods the employer will use to inform the other employer(s) of any precautionary measures that need to be taken to protect employees during the workplace's normal operating conditions and in foreseeable emergencies; and, The methods the employer will use to inform the other employer(s) of the labeling system used in the workplace.	OPNAVINST 5100.23F Chapter 11 Basic Requirements; Chapter 7 Hazardous Material Control and Management	5/29/2003	\$7,000
Naval Aviation Depot, Cherry Point, NC	00146	2/27/2003	Complaint	Serious	1910.1001(k)(6)	Asbestos waste disposal. Waste, scrap, debris, bags, containers, equipment, and clothing contaminated with asbestos consigned for disposal, shall be collected, recycled and disposed of in sealed impermeable bags, or other closed, impermeable containers.	OPNAVINST 5100.23F Chapter 11 Basic Requirements; Chapter 17 Asbestos Control	5/29/2003	\$7,000
Naval Station, Ingleside, TX	68891	4/2/2003	Related Act	Serious	1910.146(k)(2)(ii)	Confined space training. Train affected employees to perform assigned rescue duties. The employer must ensure that such employees successfully complete the training required to establish proficiency as an authorized entrant, as provided by paragraphs (g) and (h) of this section;	OPNAVINST 5100.23F Chapter 11 Basic Requirements; Chapter 27 Confined Space Entry Program	6/5/2003	\$7,000

OSHA Citation Tracking
Serious Violations FY 2003

Installation	UIC	Inspection Date	Inspection Type	Violation Type	Standard Cited	Description	NAVOSH Reference	Abatement Date	Maximum Private Sector Penalty
Naval Station, Ingleside, TX	68891	4/2/2003	Related Act	Serious	1910.146(k)(2)(iv)	Confined spaces. Ensure that affected employees practice making permit space rescues at least once every 12 months, by means of simulated rescue operations in which they remove dummies, manikins, or actual persons from the actual permit spaces or from representative permit spaces. Representative permit spaces shall, with respect to opening size, configuration, and accessibility, simulate the types of permit spaces from which rescue is to be performed.	OPNAVINST 5100.23F Chapter 11 Basic Requirements; Chapter 27 Confined Space Entry Program	6/5/2003	\$7,000
NAS Key West, FL	00213	4/16/2003	Planned	Serious	1910.213(h)(4)	Radial saws. Installation shall be in such a manner that the front end of the unit will be slightly higher than the rear, so as to cause the cutting head to return gently to the starting position when released by the operator.	OPNAVINST 5100.23F Chapter 5 Prevention and Control of Workplace Hazards	6/18/2003	\$7,000
NAS Key West, FL	00213	4/16/2003	Planned	Serious	1910.305(b)(1)	Electrical cabinets, boxes, and fittings. Conductors entering boxes, cabinets, or fittings. Conductors entering boxes, cabinets, or fittings shall also be protected from abrasion, and openings through which conductors enter shall be effectively closed. Unused openings in cabinets, boxes, and fittings shall be effectively closed.	OPNAVINST 5100.23F Chapter 5 Prevention and Control of Workplace Hazards	6/18/2003	\$7,000
NAS Key West, FL	00213	4/16/2003	Planned	Serious	1910.106(d)(5)	Emergency egress. Flammable or combustible liquids, including stock for sale, shall not be stored so as to limit use of exits, stairways, or areas normally used for the safe egress of people.	OPNAVINST 5100.23F Chapter 11 Basic Requirements; Chapter 5 Prevention and Control of Workplace Hazards	7/3/2003	\$7,000

OSHA Citation Tracking
Serious Violations FY 2003

Installation	UIC	Inspection Date	Inspection Type	Violation Type	Standard Cited	Description	NAVOSH Reference	Abatement Date	Maximum Private Sector Penalty
Puget Sound Naval Shipyard Bremerton, WA	00251	5/28/2003	Planned	Serious	1910.23(c)(1)	Holes and floor openings. Every open-sided floor or platform 4 feet or more above adjacent floor or ground level shall be guarded by a standard railing (or the equivalent as specified in paragraph (e)(3) of this section) on all open sides except where there is entrance to a ramp, stairway, or fixed ladder. The railing shall be provided with a toeboard wherever, beneath the open sides.	OPNAVINST 5100.23F Chapter 11 Basic Requirements	6/16/2003	\$7,000

Note:

The abatement date is established by the OSHA area office. The period of time to abate a hazard is the shortest interval that an employer can reasonably be expected to correct the violation.

The OSHA Act authorizes civil penalties be assessed for each alleged violation. Most Federal agencies are exempt from these fines. Penalties are based on four factors: 1) the gravity of the violation:

2) the size of the business; 3) the good faith of the employer; 4) the employer's history of previous violations.